



Customer ID: 221031-1

Grower License #: SCLT0114

## **Certificate of Analysis**

**Company:** 45 North Nurseries **Sample ID:** Gas Station Koffee

Lot: 2023-01 #1 Report Date: 12/1/2023

Matrix: Flower Date Analyzed: 12/1/2023

Date Sampled: N/A Analyst: 048

Date Received: 11/9/2023 Report ID: C231109AT

## **Terpenes Summary**

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	0.811	0.081
Camphene	0.010	0.121	0.012
β-Myrcene	0.010	1.786	0.179
b-Pinene	0.010	1.198	0.120
3-Carene	0.010	0.030	0.003
α-Terpinene	0.010	0.027	0.003
Limonene	0.010	9.044	0.904
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	4.303	0.430
Eucalyptol	0.010	0.302	0.030
Y-Terpinene	0.010	0.037	0.004
Terpinolene	0.010	0.185	0.019
Linalool	0.010	2.285	0.229
Isopulegol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Geraniol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene	0.010	5.909	0.591
α-Humulene	0.010	2.651	0.265
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene Oxide	0.010	0.029	0.003
α-Bisabolol	0.010	0.074	0.007
Total Terpenes		28.792	2.880

8.88%

Percent Moisture LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory.

This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:

Luke K.M

C231109AT

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)