



## Certificate of Analysis

**Company:** 45 North Nurseries **Sample ID:** SBL x Unleaded 'Blacktop Limejuice'

962 Worcester Loop Lot: SCLT0114-2 Report Date: 3/20/2024 Stowe, VT 05672 Matrix: Flower Date Analyzed: 3/14/2024

Customer ID: 221031-1 Date Sampled: N/A Analyst: 045

Grower License #: SCLT0114 Date Received: 3/13/2024 Report ID: C240313AB

## **Terpenes Summary**

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	4.420	0.442
Camphene	0.010	0.107	0.011
β-Myrcene	0.010	12.885	1.289
b-Pinene	0.010	2.739	0.274
3-Carene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Terpinene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Limonene	0.010	4.906	0.491
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	2.841	0.284
Eucalyptol	0.010	0.110	0.011
Y-Terpinene	0.010	0.018	0.002
Terpinolene	0.010	0.078	0.008
Linalool	0.010	0.568	0.057
Isopulegol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Geraniol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene	0.010	5.506	0.551
α-Humulene	0.010	3.453	0.345
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene Oxide	0.010	0.094	0.009
α-Bisabolol	0.010	0.063	0.006
Total Terpenes		37.788	3.780

11.78%

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Percent Moisture Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

C240313AB

D NOWH NULSERIES

SCLT DITY

SBL X VILLEADED

BAULTOF LINEAR

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)